

MSA Uncoded SFP+ Module - 10GBASE-T - SFP to RJ45 Cat6/Cat5e - 10GE Gigabit Ethernet SFP+ - RJ-45 30m

Product ID: SFP10GBTST



The SFP10GBTST is an MSA compliant copper SFP transceiver that's designed, programmed and tested to work with 10GBASE-T compatible switches and routers. The SFP+ transceiver module supports a maximum distance of up to 30 m (98.4 ft.) and delivers dependable 10 GbE connectivity over copper cabling, which is a cost-effective alternative to fiber-optic cable setups.

Technical Specifications:

- **Maximum Data Transfer Rate:** 10 Gbps
- **Type:** Copper
- **Connection Type:** RJ45 Connector
- **Maximum Transfer Distance:** 30 m (98.4 ft.)
- **MTBF:** 4,598,430 hours
- **DDM:** No >

This SFP+ copper module is hot-swappable, making upgrades and replacements seamless by minimizing network disruptions.

StarTech.com SFPs

All StarTech.com SFP & SFP+ transceiver modules are backed by a lifetime warranty and free lifetime multilingual technical support. StarTech.com offers a wide variety of SFP modules and direct-attach SFP Cables, providing the convenience and reliability you need to ensure dependable network performance.

Certifications, Reports and Compatibility



Applications

- Replace defective or damaged SFP+ modules
- Expand your network to remote segments

Features

- **100% MSA UNCODED SFP+ TRANSCEIVER:** Designed, programmed and tested to work with compatible MSA Compliant switches and routers to deliver dependable 10GbE connectivity
- **TESTED FOR COMPATIBILITY:** Hot-swappable in MSA Compliant routers and switches
- **TESTED FOR COMPATIBILITY:** Hot-swappable in MSA Compliant routers and switches
- **LIFETIME WARRANTY:** Backed by a lifetime warranty on the life of the module itself and not the life of your switch; our modules won't void your OEM warranty and supported by our Tech Advisors 5/24
- **WORKS WITH MSA COMPLIANT SWITCHES:** Works with switch models from Ubiquiti, D-Link, Netgear, Supermicro, TP-Link and more that accept uncoded modules

Hardware	Warranty	Lifetime
	Compatible Brand	MSA Compliant
	Industry Standards	IEEE 802.3an 10GBASE-T IEEE 802.3an 10GBASE-T
Performance	Auto MDIX	Yes
	Compatible Networks	10 Gbps
	DDM	No
	Fiber Operating Mode	Full-Duplex
	Max Transfer Distance	30 m (98.4 ft)
	Maximum Data Transfer Rate	10 Gbps
	MTBF	4,598,430 hours
	Type	Copper
Connector(s)	Local Unit Connectors	1 - RJ-45 Female
Special Notes / Requirements	System and Cable Requirements	MSA compliant SFP+ port
Power	Power Consumption (In Watts)	2.3 W (max.)
Environmental	Humidity	5~95% RH
	Operating Temperature	0°C to 70°C (32°F to 158°F)
	Storage Temperature	-40°C to 85°C (-40°F to 185°F)
Physical Characteristics	Color	Silver
Packaging Information	Package Height	1.2 in [30 mm]
	Package Length	4.7 in [12 cm]
	Package Width	2.9 in [74 mm]
	Shipping (Package) Weight	2.1 oz [60 g]
What's in the Box	Included in Package	1 - SFP+ transceiver
	Material	Zinc Alloy
	Product Height	0.5 in [1.3 cm]
	Product Length	2.8 in [70 mm]
	Product Width	0.5 in [13.9 mm]
	Weight of Product	1 oz [28 g]

Product appearance and specifications are subject to change without notice.