

Philips Signage Solutions E-Line Display

75"Powered by Android Multi-touch

SignageSolutions



75BDL4052E

Interactive education display

Featuring multi-touch technology

Inspire collaboration. Maximise engagement. This top-spec Philips E-Line touch display is powered by Android and features enhanced educational software and programs compatibility, 20 touchpoints and a toughened anti-glare glass.

Interactive and collaborative

- · Operate, monitor and maintain with CMND and Control
- Multi-touch technology capable of 20 touchpoints
- · Advanced IR touch with smaller, shallower bezels

Smart and powerful

- OPS slot allows for PC embedding without cabling
- · Whiteboard mode built in
- · Wireless screen sharing and advanced collaboration
- Android: Run your own app or choose your favourite app to run
- 0-gap touch frame
- Anti-glare toughened glass 7 MOHS



Highlights

CMND and Control




Run your display network over a local (LAN) connection. CMND and Control allows you to perform vital functions like controlling inputs and monitoring display status. Whether you're in charge of one screen or 100.

Multi-touch technology

Create a memorable interactive experience with up to 20 touchpoints at the same time. Perfect for collaborative and competitive applications, this display connects your audience with any content - making it ideal for education, public venues, corporate, hospitality and retail settings. The touch panel is HID compliant, providing true plug-and-play operation.

OPS slot



Integrate a full-power PC or Android-powered CRD50 module directly into your Philips Professional Display. The OPS slot contains all the connections you need to run your slot-in solution, including a power supply.

Whiteboard mode built in

Inspire agile collaboration with whiteboard mode. Simply activate this feature to turn your display into a blank canvas that can be drawn on by multiple users by hand or with dedicated display markers. Everything on the screen can then be captured for easy printing or file sharing.

Wireless screen sharing

Display four feeds on the one screen. Wireless screen sharing allows you to connect multiple

devices at the same time for quick content switching when you need it. Use your existing Wi-Fi network to instantly and securely connect devices or use our optional HDMI interact dongles to cast directly to the screen without needing to connect to your secured/protected network.

Powered by Android

With Android OS integrated into the display, you can work with the most developed OS on the planet and save your own app directly into the display. Or, choose from the large library of Android apps and play content from there. With the built-in scheduler, you can daypart your apps and content based on your customer and time of day and with the auto-orientation feature, showing content in portrait or landscape is as simple as turning the display.









· Plug and play: HID compliant

Internal Player

CPU: MTK 9970A

Dimensions

Memory: 4 GB RAM

Storage: 32 GB eMMc

Wi-Fi: 2G/5G/6G 2T2R

 Set dimensions (W x H x D): 1715.5 x 1007.6 x 101.5 mm(D Max)/

79.2 mm(D_Wallmount) mm

67.54 x 39.67 x 3.99(D_Max)/

Wall Mount: 600 x 400 mm, M8

Product with packaging (kg): 67.7 kg

• Product with packaging (lb): 149.25 lb

Product without stand (kg): 55.85 kg

• Product without stand (lb): 123.13 lb

3.12(D_Wallmount) inch

Weight: 55.85 kg

Weight

• Set dimensions in inch (W \times H \times D):

• Bezel width: 17.8 mm(T/R/L)x 31.7 mm(B)

Smart Insert mount: 100 x 100 mm, 6xM4L6

Tempered safety glass 7 MOHS

· Touch points: 20 simultaneous touch points

· Protection glass: Anti-Glare, Blue light filter,

Specifications

Picture/Display

- Diagonal screen size: 74.5 inch / 189.3 cm
- Panel resolution: 3840 x 2160
- Optimum resolution: 3840 x 2160 @ 60 Hz
- Brightness (before glass): 410 cd/m²
- Brightness (after glass): 380 cd/m²
- Dynamic contrast ratio: 500,000:1
- Response time (typical): 8 ms
- Aspect ratio: 16:9
- Viewing Angle (H / V): 178 / 178 degree
- Pixel pitch: 0.4296 x 0.4296 mm
- · Display colours: 1.07 billion
- Picture enhancement: 3/2 2/2 motion pull down, 3D Combfilter, Motion compens. deinterlacing, Progressive scan, 3D MA deinterlacing, Dynamic contrast enhancement
- Panel technology: ADS
- Contrast ratio (typical): 1200:1
- Operating system: Android 10
- OS UI resolution: 3840 x 2160 @ 60 Hz

Supported Display Resolution

Computer formats

Computer formats	
Resolution	Refresh rate
640 x 350	70 Hz
640×480	60, 67, 72, 75 Hz
800×600	56, 60, 72, 75 Hz
832 x 624	75 Hz
848 x 480	60 Hz
960 x 720	75 Hz
1024×768	60, 70 Hz
1152 x 864	60, 70, 75 Hz
1152 x 900	66 Hz
1280×720	60, 70 Hz
1280×768	60 Hz, 75 Hz
1280×800	60, 75 Hz
1280×960	60 Hz
1280 x 1024	60, 67, 75 Hz
1360 x 768	60 Hz
1366 x 768	60 Hz
1400 x 1050	60, 75 Hz
1600×900	60 Hz
1600 x 1200	60 Hz
1680 x 1050	60 Hz
1920 x 1080	60 Hz
1920 x 1200	60 Hz
3840×2160	24, 25, 30, 60 Hz
1440×900	60 Hz
720×400	70 Hz
 Video formats 	

Resolution Refresh rate 480p 60 Hz 50, 60 Hz 720p 1080 50, 60 Hz 1080p 50, 60 Hz 2160p 50, 60 Hz 480i 60 Hz

Connectivity

- Video input: DVI-D (x 1), HDMI 2.0 (x 3), USB 2.0 (x 3), USB 3.0 (x 3), USB-C (up to 65 W)
- Audio input: 3.5 mm mini jack (x 1)
- Video output: HDMI 2.0 (x 1)
- Audio output: 3.5 mm Mini Jack (x 1)

- External control: IR (in/out) 3.5 mm jack, RJ45, RS232C (in/out) 2.5 mm jack
- Other connections: OPS, micro SD, USB-B (x 3)

Convenience

- Placement: Landscape (18/7)
- Screen-saving functions: Pixel Shift, Low Brightness
- Signal loop through: RS232, IR Loop through
- · Ease of installation: Smart Insert, AC Out
- Network controllable: RS232, RJ45
- · Keyboard control: Lockable
- · Remote control signal: Lockable
- · Other convenience: Carrying handles

Operating conditions

- Temperature range (operation): 0 ~ 40 °C
- Temperature range (storage): -20 ~ 60 °C
- Altitude: 0 ~ 3000 m
- MTBF: 50,000 hour(s)
- Humidity range (operation)[RH]: 20–80% (without condensation)
- Humidity range (storage) [RH]: 5–95% (without condensation)

Power

- · Consumption (Typical): 190 W
- Consumption (Max): 450 W
- Standby power consumption: <0.5 W
- Mains power: 100 ~ 240 VAC, 50/60 Hz
- Power Saving Features: Smart Power
- · Energy Label Class: G

• Built-in speakers: 2 x 15 W

Accessories

- Included Accessories: Cleaning cloth (x 1), AC Power Cord, AC Switch Cover, Cable clip (x 3), DVI-I Cable (1.8 m) (x 1), HDMI Cable (3 m) (x 1), IR sensor cable (1.8 m) (x 1), Philips logo (x 1), Quick start guide (x 1), Remote control and AAA batteries, RS232 cable, RS232 daisy chain cable (x 1), Touch Pen (x 2), USB A to B cable (3 m) (x 1), USB cover and screws
- Optional accessories: Interact dongles

Miscellaneous

- · On-Screen Display Languages: Arabic, Dutch, Danish, English, French, Finnish, German, Italian, Japanese, Norwegian, Polish, Portuguese, Russian, Spanish, Swedish, Simplified Chinese, Turkish, Traditional Chinese
- Regulatory approvals: CE, FCC, Class A, RoHS, CB. EAC. EMF. ETL
- Warranty: 5-year warranty

Multimedia Applications

- USB Playback Video: H.263, H.264, H.265, MPEG1/ 2, MPEG4, VP8, VP9
- USB Playback Picture: BMP, JPEG, PNG
- USB Playback Audio: AAC, HEAAC, MPEG

Interactivity

• Multi-touch technology: 0-gap Infrared touch



Issue date 2022-10-19

© 2022 Koninklijke Philips N.V. All Rights reserved.

Version: 4.0.1

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

12 NC: 8670 001 81434 EAN: 87 12581 78536 9

www.philips.com